



## E5CC-QX3A5M-000

Temperature controller, 1/16 DIN (48x48 mm), 12 VDC pulse output, 3 AUX, 100-240 VAC

# Especificaciones


Size	1/16 DIN (48 x 48 mm)
Functions	ON/OFF control, PID control
Number of control loops	1
Temperature input type	B, C (WRe5-26), E, J, JPt100, K, L, N, P (PLII), Pt100, R, S, T, U
Linear analog input type	0 to 10 V, 0 to 20 mA, 0 to 5 V, 1 to 5 V, 4 to 20 mA
Temperature range	-200-2300 °C
Number of event inputs	0
Number of alarm outputs	3
Supply voltage AC	100-240 V
Control output	Voltage pulse
Terminal type	Screw

# Accesorios



E58-CIFQ2

Cable comunic. USB-QLP - E5CC / E5CB /E5DC/ E5GC



EST2-2C-MV4


Cx-Thermo Soft. Configuración contr. Temperatura V4.0

## Librería CAD



### Digital Temperature Controllers Catálogo

ES PDF 2,78 MB



### E5CC Manual de instrucciones

ES PDF 7,55 MB



### E5CN-E5CC Conversion File Software

EN ZIP 613 KB



### E5\_C safety\_precautions Introducción

EN PDF 1,76 MB



### E5\_C/E5\_C-T Digital Temperature Controller Datasheet

EN PDF 40,8 MB



### EAC Mark removal Aviso de discontinuación

EN PDF 221 KB



### Panel Building Catálogo

ES PDF 15,9 MB



### Thermac Temperature Simulation Software

EN ZIP 16,2 MB